

Author index to volume 193

- | | |
|---|----------------|
| Adamowicz, L., see Sobolewski, A.L. | 193 (1995) 67 |
| Altner, S.B., see Maniloff, E.S. | 193 (1995) 173 |
| Aminov, K.L. and J.B. Pedersen, Improved finite difference calculation of magnetic field effects; inclusion of analytic asymptotics | 193 (1995) 297 |
| Archirel, P., Direct calculation of non-adiabatic states using non-orthogonal CI. Application to the study of the (ArCO) ⁺ cluster | 193 (1995) 55 |
| Athmer, P.B., see van der Kamp, A.B. | 193 (1995) 181 |
| Barzoukas, M., see Runser, C. | 193 (1995) 309 |
| Bernet, S., see Maniloff, E.S. | 193 (1995) 173 |
| Bolvin, H., see Tchougréeff, A.L. | 193 (1995) 19 |
| Busmann, H.-G., see Lill, Th. | 193 (1995) 199 |
| Cardini, G., A comparison between the rigid and flexible model of cyclohexane in the plastic phase by molecular dynamic simulations | 193 (1995) 101 |
| Combellas, C., see Runser, C. | 193 (1995) 309 |
| Dai, S., see Xu, W. | 193 (1995) 339 |
| Demidenko, A.A., see Petrov, E.G. | 193 (1995) 237 |
| Dickinson, A.S., see Viehland, L.A. | 193 (1995) 255 |
| Ding, G.-w., see Yang, W.-s. | 193 (1995) 345 |
| Donaldson, D.J., I.V. Okuda and J.J. Sloan, Dynamics of CO formation in the reaction O(³ P) + C ₂ H ₃ | 193 (1995) 37 |
| Erickson, R., A. Lund and M. Lindgren, Analysis of powder EPR and ENDOR spectra of the biphenyl radical cation on H-ZSM-5 zeolite, silica gel and in CFCI ₃ matrix | 193 (1995) 89 |
| Fišer, J., see Vojtík, J. | 193 (1995) 47 |
| Fort, A., see Runser, C. | 193 (1995) 309 |
| Golzan, M.M., P.B. Lukins, D.R. McKenzie, A.M. Vassallo and J.V. Hanna, NMR evidence for strained carbon bonding in tetrahedral amorphous carbon | 193 (1995) 167 |
| Gompper, R., see Schilder, A. | 193 (1995) 321 |
| Gorbach, V.V., see Petrov, E.G. | 193 (1995) 237 |
| Gotschy, B., see Schilder, A. | 193 (1995) 321 |
| Graf, F.R., see Maniloff, E.S. | 193 (1995) 173 |
| Graff, R., see Runser, C. | 193 (1995) 309 |
| Grätzel, M., see Nüesch, F. | 193 (1995) 1 |
| Gu, Y.-s., see Yang, W.-s. | 193 (1995) 345 |
| Gygax, H., see Maniloff, E.S. | 193 (1995) 173 |
| Hanna, J.V., see Golzan, M.M. | 193 (1995) 167 |
| Havenith, M., see Linnartz, H. | 193 (1995) 327 |
| He, G.-z., see Yang, W.-s. | 193 (1995) 345 |

- Hertel, I.V., see Lill, Th. 193 (1995) 199
Hiemstra, R.S., see van der Kamp, A.B. 193 (1995) 181
Hochstrasser, R.M., see Wynne, K. 193 (1995) 211
- Juřek, M., V. Špirko and W.P. Kraemer, Ab initio determination of the rate coefficient for radiative association of $\text{He}(^1\text{S}) + \text{H}^+$ 193 (1995) 287
- Kahn, O., see Tchougréeff, A.L. 193 (1995) 19
Kintzinger, J.P., see Runser, C. 193 (1995) 309
Knowles, P.J., see Naumkin, F.Yu. 193 (1995) 27
Kraemer, W.P., see Juřek, M. 193 (1995) 287
Kupriyanov, D.V., Semiclassical study of polarization-dependent optical collisions: application to $\text{Mg}(3p\ ^1\text{P}_1 \rightarrow 5s\ ^1\text{S}_0)$ and $\text{Ar}(^1\text{S}_0)$ collision 193 (1995) 141
- Lacher, F., see Lill, Th. 193 (1995) 199
Lill, Th., H.-G. Busmann, F. Lacher and I.V. Hertel, The influence of the surface nature on scattering, fragmentation and deposition processes in C_{60}^+ collisions with solid surfaces 193 (1995) 199
Limtrakul, J., Adsorption of methanol in zeolite, gallosilicate and SAPO catalysts 193 (1995) 79
Lindgren, M., see Erickson, R. 193 (1995) 89
Linert, W., see Vyazovkin, S. 193 (1995) 109
Linnartz, H., W.L. Meerts and M. Havenith, The ammonia dimer: new infrared–far infrared double resonance results 193 (1995) 327
Lou, N.-q., see Yang, W.-s. 193 (1995) 345
Lukins, P.B., see Golzan, M.M. 193 (1995) 167
Lund, A., see Erickson, R. 193 (1995) 89
- Maniloff, E.S., F.R. Graf, H. Gyga, S.B. Altner, S. Bernet, A. Renn and U.P. Wild, Power broadening of the spectral hole width in an optically thick sample 193 (1995) 173
Martínez, H. and T.J. Morgan, Absolute cross-section measurements for collisional destruction of He Rydberg atoms and single electron capture of He^+ ions in collision with SF_6 193 (1995) 193
McKenzie, D.R., see Golzan, M.M. 193 (1995) 167
Meerts, W.L., see Linnartz, H. 193 (1995) 327
Misurkin, I.A., see Tchougréeff, A.L. 193 (1995) 19
Morgan, T.J., see Martínez, H. 193 (1995) 193
Murrell, J.N., see Naumkin, F.Yu. 193 (1995) 27
- Naumkin, F.Yu., P.J. Knowles and J.N. Murrell, Towards reliable modelling of large clusters: on the overall accuracy of the diatomics-in-molecule method for rare gas cluster ions 193 (1995) 27
Nüesch, F. and M. Grätzel, H-aggregation and correlated absorption and emission of a merocyanine dye in solution, at the surface and in the solid state. A link between crystal structure and photophysical properties 193 (1995) 1
- Okuda, I.V., see Donaldson, D.J. 193 (1995) 37
- Pedersen, J.B., see Aminov, K.L. 193 (1995) 297
Peterson, J.R., see Xu, W. 193 (1995) 339

- Peterson, J.R., see van der Kamp, A.B. 193 (1995) 181
- Petrov, E.G., I.S. Tolokh, A.A. Demidenko and V.V. Gorbach, Electron-transfer properties of quantum molecular wires 193 (1995) 237
- Renn, A., see Maniloff, E.S. 193 (1995) 173
- Runser, C., A. Fort, M. Barzoukas, C. Combellas, C. Suba, A. Thiébault, R. Graff and J.P. Kintzinger, Solvent effect on the intramolecular charge transfer of zwitterions. Structures and quadratic hyperpolarizabilities 193 (1995) 309
- Saalfank, P., Photodesorption of neutrals from metal surfaces: a wave packet study 193 (1995) 119
- Schilder, A., B. Gotschy, A. Seidl and R. Gompper, Preparation and characterisation of the C_{60} charge transfer complex $C_{60}^{-}[1,1',3,3'\text{-tetramethyl-}\Delta^{2,2'}\text{-bi(imidazolidine)}]^{+}$ 193 (1995) 321
- Seidl, A., see Schilder, A. 193 (1995) 321
- Sloan, J.J., see Donaldson, D.J. 193 (1995) 37
- Sobolewski, A.L. and L. Adamowicz, Theoretical investigations of the excited-state intramolecular proton transfer reaction in N-substituted-3-hydroxypyridinones 193 (1995) 67
- Soudackov, A.V., see Tchougréeff, A.L. 193 (1995) 19
- Špirko, V., see Juřek, M. 193 (1995) 287
- Suba, C., see Runser, C. 193 (1995) 309
- Sun, W.-z., see Yang, W.-s. 193 (1995) 345
- Tchougréeff, A.L., A.V. Soudackov, I.A. Misurkin, H. Bolvin and O. Kahn, High-spin-low-spin transitions in Fe(II) complexes by effective Hamiltonian method 193 (1995) 19
- Thiébault, A., see Runser, C. 193 (1995) 309
- Tolokh, I.S., see Petrov, E.G. 193 (1995) 237
- Toth, L.M., see Xu, W. 193 (1995) 339
- Traytak, S.D., The diffusive interaction in diffusion-limited reactions: the time-dependent case 193 (1995) 351
- van der Kamp, A.B., P.B. Athmer, R.S. Hiemstra, J.R. Peterson and W.J. van der Zande, Evidence for quasibound states in highly excited CO^{+} and NO^{+} 193 (1995) 181
- van der Zande, W.J., see van der Kamp, A.B. 193 (1995) 181
- Vassallo, A.M., see Golzan, M.M. 193 (1995) 167
- Viehland, L.A. and A.S. Dickinson, Transport of diatomic ions in atomic gases 193 (1995) 255
- Vojtík, J. and J. Fiřer, Ab initio calculation of the nuclear quadrupole coupling constants of rovibrational levels in the $X^2\Sigma^{+}$ state of all isotopic variants of LiH^{-} 193 (1995) 47
- Vyazovkin, S. and W. Linert, False isokinetic relationships found in the nonisothermal decomposition of solids 193 (1995) 109
- Wild, U.P., see Maniloff, E.S. 193 (1995) 173
- Wynne, K. and R.M. Hochstrasser, The theory of ultrafast vibrational spectroscopy 193 (1995) 211
- Xu, D.-l., see Yang, W.-s. 193 (1995) 345
- Xu, W., S. Dai, L.M. Toth and J.R. Peterson, Blue up-conversion emission from U^{4+} -ion doped into Cs_2ZrCl_6 single crystal under green light (19436 cm^{-1}) excitation 193 (1995) 339
- Yang, W.-s., G.-w. Ding, D.-l. Xu, W.-z. Sun, Y.-s. Gu, G.-z. He and N.-q. Lou, The chemiluminescent studies of the orbital aligned $Ca(^1P_1)$ with $CH_{4-n}Cl_n$ ($n = 1, 2, 3, 4$) reactions 193 (1995) 345

Subject index to volume 193

Methods

Theoretical

Classical mechanics

- H-aggregation and correlated absorption and emission of a merocyanine dye in solution, at the surface and in the solid state. A link between crystal structure and photophysical properties, F. Nüesch and M. Grätzel 193 (1995) 1

Many body and quasiparticle approaches

- High-spin–low-spin transitions in Fe(II) complexes by effective Hamiltonian method, A.L. Tchougréeff, A.V. Soudackov, I.A. Misurkin, H. Bolvin and O. Kahn 193 (1995) 19

Coupling schemes and perturbative treatments

- The theory of ultrafast vibrational spectroscopy, K. Wynne and R.M. Hochstrasser 193 (1995) 211

Transport quantum mechanics

- Electron-transfer properties of quantum molecular wires, E.G. Petrov, I.S. Tolokh, A.A. Demidenko and V.V. Gorbach 193 (1995) 237

Statistical mechanics of stationary states

- Transport of diatomic ions in atomic gases, L.A. Viehland and A.S. Dickinson 193 (1995) 255

Ab initio schemes for stationary properties

- Towards reliable modelling of large clusters: on the overall accuracy of the diatomics-in-molecule method for rare gas cluster ions, F.Yu. Naumkin, P.J. Knowles and J.N. Murrell 193 (1995) 27

- Dynamics of CO formation in the reaction $O(^3P) + C_2H_3$, D.J. Donaldson, I.V. Okuda and J.J. Sloan 193 (1995) 37

- Ab initio calculation of the nuclear quadrupole coupling constants of rovibrational levels in the $X^2\Sigma^+$ state of all isotopic variants of LiH^- , J. Vojtík and J. Fišer 193 (1995) 47

- Direct calculation of non-adiabatic states using non-orthogonal CI. Application to the study of the $(ArCO)^+$ cluster, P. Archirel 193 (1995) 55

- Theoretical investigations of the excited-state intramolecular proton transfer reaction in N-substituted-3-hydroxypyridinones, A.L. Sobolewski and L. Adamowicz 193 (1995) 67

- Adsorption of methanol in zeolite, gallosilicate and SAPO catalysts, J. Limtrakul 193 (1995) 79

- Ab initio determination of the rate coefficient for radiative association of $He(^1S) + H^+$, M. Juřek, V. Špirko and W.P. Kraemer 193 (1995) 287

Computational and simulation methods

- Towards reliable modelling of large clusters: on the overall accuracy of the diatomics-in-molecule method for rare gas cluster ions, F.Yu. Naumkin, P.J. Knowles and J.N. Murrell 193 (1995) 27
- Analysis of powder EPR and ENDOR spectra of the biphenyl radical cation on H-ZSM-5 zeolite, silica gel and in CFCl_3 matrix, R. Erickson, A. Lund and M. Lindgren 193 (1995) 89
- A comparison between the rigid and flexible model of cyclohexane in the plastic phase by molecular dynamic simulations, G. Cardini 193 (1995) 101
- False isokinetic relationships found in the nonisothermal decomposition of solids, S. Vyazovkin and W. Linert 193 (1995) 109
- Improved finite difference calculation of magnetic field effects; inclusion of analytic asymptotics, K.L. Aminov and J.B. Pedersen 193 (1995) 297

Molecular dynamics and scattering theory

- Photodesorption of neutrals from metal surfaces: a wave packet study, P. Saalfrank 193 (1995) 119
- Semiclassical study of polarization-dependent optical collisions: application to $\text{Mg}(3p^1P_1 \rightarrow 5s^1S_0)$ and $\text{Ar}(1S_0)$ collision, D.V. Kupriyanov 193 (1995) 141
- Ab initio determination of the rate coefficient for radiative association of $\text{He}(1S) + \text{H}^+$, M. Juřek, V. Špirko and W.P. Kraemer 193 (1995) 287

Experimental*Magnetic resonances*

- NMR evidence for strained carbon bonding in tetrahedral amorphous carbon, M.M. Golzan, P.B. Lukins, D.R. McKenzie, A.M. Vassallo and J.V. Hanna 193 (1995) 167
- Solvent effect on the intramolecular charge transfer of zwitterions. Structures and quadratic hyperpolarizabilities, C. Runser, A. Fort, M. Barzoukas, C. Combellas, C. Suba, A. Thiébault, R. Graff and J.P. Kintzinger 193 (1995) 309
- Preparation and characterisation of the C_{60} charge transfer complex $\text{C}_{60}^{--}[1,1',3,3'\text{-tetramethyl-}\Delta^{2,2'}\text{-bi(imidazolidine)}]^+$, A. Schilder, B. Gotschy, A. Seidl and R. Gompper 193 (1995) 321

Microwave spectroscopy

- The ammonia dimer: new infrared–far infrared double resonance results, H. Linnartz, W.L. Meerts and M. Havenith 193 (1995) 327

Infrared spectroscopy

- Dynamics of CO formation in the reaction $\text{O}(^3P) + \text{C}_2\text{H}_3$, D.J. Donaldson, I.V. Okuda and J.J. Sloan 193 (1995) 37
- The theory of ultrafast vibrational spectroscopy, K. Wynne and R.M. Hochstrasser 193 (1995) 211
- The ammonia dimer: new infrared–far infrared double resonance results, H. Linnartz, W.L. Meerts and M. Havenith 193 (1995) 327

Visible and UV spectroscopy

- H-aggregation and correlated absorption and emission of a merocyanine dye in solution, at the surface and in the solid state. A link between crystal structure and photophysical properties, F. Nüesch and M. Grätzel 193 (1995) 1

- High-spin-low-spin transitions in Fe(II) complexes by effective Hamiltonian method, A.L. Tchougréeff, A.V. Soudackov, I.A. Misurkin, H. Bolvin and O. Kahn 193 (1995) 19
- Power broadening of the spectral hole width in an optically thick sample, E.S. Maniloff, F.R. Graf, H. Gygax, S.B. Altner, S. Bernet, A. Renn and U.P. Wild 193 (1995) 173
- Blue up-conversion emission from U^{4+} -ion doped into Cs_2ZrCl_6 single crystal under green light (19436 cm^{-1}) excitation, W. Xu, S. Dai, L.M. Toth and J.R. Peterson 193 (1995) 339
- Fluorescence spectroscopy*
- H-aggregation and correlated absorption and emission of a merocyanine dye in solution, at the surface and in the solid state. A link between crystal structure and photophysical properties, F. Nüesch and M. Grätzel 193 (1995) 1
- Power broadening of the spectral hole width in an optically thick sample, E.S. Maniloff, F.R. Graf, H. Gygax, S.B. Altner, S. Bernet, A. Renn and U.P. Wild 193 (1995) 173
- Blue up-conversion emission from U^{4+} -ion doped into Cs_2ZrCl_6 single crystal under green light (19436 cm^{-1}) excitation, W. Xu, S. Dai, L.M. Toth and J.R. Peterson 193 (1995) 339
- Laser methods*
- The chemiluminescent studies of the orbital aligned $Ca(^1P_1)$ with $CH_{4-n}Cl_n$ ($n = 1, 2, 3, 4$) reactions, W.-s. Yang, G.-w. Ding, D.-l. Xu, W.-z. Sun, Y.-s. Gu, G.-z. He and N.-q. Lou 193 (1995) 345
- Non-linear optical spectroscopy*
- Solvent effect on the intramolecular charge transfer of zwitterions. Structures and quadratic hyperpolarizabilities, C. Runser, A. Fort, M. Barzoukas, C. Combellas, C. Suba, A. Thiébault, R. Graff and J.P. Kintzinger 193 (1995) 309
- Multiple resonance spectroscopy*
- Analysis of powder EPR and ENDOR spectra of the biphenyl radical cation on H-ZSM-5 zeolite, silica gel and in $CFCl_3$ matrix, R. Erickson, A. Lund and M. Lindgren 193 (1995) 89
- Atomic and molecular beam techniques*
- Evidence for quasibound states in highly excited CO^+ and NO^+ , A.B. van der Kamp, P.B. Athmer, R.S. Hiemstra, J.R. Peterson and W.J. van der Zande 193 (1995) 181
- Absolute cross-section measurements for collisional destruction of He Rydberg atoms and single electron capture of He^+ ions in collision with SF_6 , H. Martínez and T.J. Morgan 193 (1995) 193
- The chemiluminescent studies of the orbital aligned $Ca(^1P_1)$ with $CH_{4-n}Cl_n$ ($n = 1, 2, 3, 4$) reactions, W.-s. Yang, G.-w. Ding, D.-l. Xu, W.-z. Sun, Y.-s. Gu, G.-z. He and N.-q. Lou 193 (1995) 345
- Time-resolved experiments*
- The theory of ultrafast vibrational spectroscopy, K. Wynne and R.M. Hochstrasser 193 (1995) 211
- Mass spectrometry*
- The influence of the surface nature on scattering, fragmentation and deposition processes in C_{60}^+ collisions with solid surfaces, Th. Lill, H.-G. Busmann, F. Lacher and I.V. Hertel 193 (1995) 199

Field emission and field ionization

- Absolute cross-section measurements for collisional destruction of He Rydberg atoms and single electron capture of He^+ ions in collision with SF_6 , H. Martínez and T.J. Morgan 193 (1995) 193

Objects**Bulk systems***Gases*

- Transport of diatomic ions in atomic gases, L.A. Viehland and A.S. Dickinson 193 (1995) 255

Liquid mixtures and solutions

- The theory of ultrafast vibrational spectroscopy, K. Wynne and R.M. Hochstrasser 193 (1995) 211

Crystals

- Blue up-conversion emission from U^{4+} -ion doped into Cs_2ZrCl_6 single crystal under green light (19436 cm^{-1}) excitation, W. Xu, S. Dai, L.M. Toth and J.R. Peterson 193 (1995) 339

-neat

- A comparison between the rigid and flexible model of cyclohexane in the plastic phase by molecular dynamic simulations, G. Cardini 193 (1995) 101

Polymers

- Power broadening of the spectral hole width in an optically thick sample, E.S. Maniloff, F.R. Graf, H. Gygax, S.B. Altner, S. Bernet, A. Renn and U.P. Wild 193 (1995) 173

Thin films

- NMR evidence for strained carbon bonding in tetrahedral amorphous carbon, M.M. Golzan, P.B. Lukins, D.R. McKenzie, A.M. Vassallo and J.V. Hanna 193 (1995) 167

Surfaces

- Photodesorption of neutrals from metal surfaces: a wave packet study, P. Saalfrank 193 (1995) 119
The influence of the surface nature on scattering, fragmentation and deposition processes in C_{60}^+ collisions with solid surfaces, Th. Lill, H.-G. Busmann, F. Lacher and I.V. Hertel 193 (1995) 199

Microscopic systems*Atoms*

- The chemiluminescent studies of the orbital aligned $\text{Ca}(^1\text{P}_1)$ with $\text{CH}_{4-n}\text{Cl}_n$ ($n = 1, 2, 3, 4$) reactions, W.-s. Yang, G.-w. Ding, D.-l. Xu, W.-z. Sun, Y.-s. Gu, G.-z. He and N.-q. Lou 193 (1995) 345

Molecules (neutral and ionic)

- Solvent effect on the intramolecular charge transfer of zwitterions. Structures and quadratic hyperpolarizabilities, C. Runser, A. Fort, M. Barzoukas, C. Combellas, C. Suba, A. Thiébault, R. Graff and J.P. Kintzinger 193 (1995) 309

- The diffusive interaction in diffusion-limited reactions: the time-dependent case, S.D. Traytak 193 (1995) 351
- diatomic*
- Ab initio calculation of the nuclear quadrupole coupling constants of rovibrational levels in the $X^2\Sigma^+$ state of all isotopic variants of LiH^- , J. Vojtík and J. Fišer 193 (1995) 47
- Semiclassical study of polarization-dependent optical collisions: application to $\text{Mg}(3p^1P_1 \rightarrow 5s^1S_0)$ and $\text{Ar}(1S_0)$ collision, D.V. Kupriyanov 193 (1995) 141
- Evidence for quasibound states in highly excited CO^+ and NO^+ , A.B. van der Kamp, P.B. Athmer, R.S. Hiemstra, J.R. Peterson and W.J. van der Zande 193 (1995) 181
- Transport of diatomic ions in atomic gases, L.A. Viehland and A.S. Dickinson 193 (1995) 255
- Ab initio determination of the rate coefficient for radiative association of $\text{He}(1S) + \text{H}^+$, M. Juřek, V. Špirko and W.P. Kraemer 193 (1995) 287
- small polyatomics*
- Dynamics of CO formation in the reaction $\text{O}(^3P) + \text{C}_2\text{H}_3$, D.J. Donaldson, I.V. Okuda and J.J. Sloan 193 (1995) 37
- Direct calculation of non-adiabatic states using non-orthogonal CI. Application to the study of the $(\text{ArCO})^+$ cluster, P. Archirel 193 (1995) 55
- The chemiluminescent studies of the orbital aligned $\text{Ca}(1P_1)$ with $\text{CH}_{4-n}\text{Cl}_n$ ($n = 1, 2, 3, 4$) reactions, W.-s. Yang, G.-w. Ding, D.-l. Xu, W.-z. Sun, Y.-s. Gu, G.-z. He and N.-q. Lou 193 (1995) 345
- aromatics*
- Theoretical investigations of the excited-state intramolecular proton transfer reaction in N-substituted-3-hydroxypyridinones, A.L. Sobolewski and L. Adamowicz 193 (1995) 67
- Analysis of powder EPR and ENDOR spectra of the biphenyl radical cation on H-ZSM-5 zeolite, silica gel and in CFCl_3 matrix, R. Erickson, A. Lund and M. Lindgren 193 (1995) 89
- polymeric and biological*
- Electron-transfer properties of quantum molecular wires, E.G. Petrov, I.S. Tolokh, A.A. Demidenko and V.V. Gorbach 193 (1995) 237
- Molecular aggregates*
- H-aggregation and correlated absorption and emission of a merocyanine dye in solution, at the surface and in the solid state. A link between crystal structure and photophysical properties, F. Nüesch and M. Grätzel 193 (1995) 1
- Adsorption of methanol in zeolite, gallosilicate and SAPO catalysts, J. Limtrakul 193 (1995) 79
- Electron-transfer properties of quantum molecular wires, E.G. Petrov, I.S. Tolokh, A.A. Demidenko and V.V. Gorbach 193 (1995) 237
- dimers*
- H-aggregation and correlated absorption and emission of a merocyanine dye in solution, at the surface and in the solid state. A link between crystal structure and photophysical properties, F. Nüesch and M. Grätzel 193 (1995) 1
- The ammonia dimer: new infrared-far infrared double resonance results, H. Linnartz, W.L. Meerts and M. Havenith 193 (1995) 327

-clusters

- Towards reliable modelling of large clusters: on the overall accuracy of the diatomics-in-molecule method for rare gas cluster ions, F.Yu. Naumkin, P.J. Knowles and J.N. Murrell 193 (1995) 27
- Direct calculation of non-adiabatic states using non-orthogonal CI. Application to the study of the (ArCO)⁺ cluster, P. Archirel 193 (1995) 55
- The influence of the surface nature on scattering, fragmentation and deposition processes in C₆₀⁺ collisions with solid surfaces, Th. Lill, H.-G. Busmann, F. Lacher and I.V. Hertel 193 (1995) 199

-complexes

- High-spin-low-spin transitions in Fe(II) complexes by effective Hamiltonian method, A.L. Tchougréeff, A.V. Soudackov, I.A. Misurkin, H. Bolvin and O. Kahn 193 (1995) 19
- The ammonia dimer: new infrared-far infrared double resonance results, H. Linnartz, W.L. Meerts and M. Havenith 193 (1995) 327

Free radicals (including hydronium and muonium)

- Analysis of powder EPR and ENDOR spectra of the biphenyl radical cation on H-ZSM-5 zeolite, silica gel and in CFC₃ matrix, R. Erickson, A. Lund and M. Lindgren 193 (1995) 89
- Improved finite difference calculation of magnetic field effects; inclusion of analytic asymptotics, K.L. Aminov and J.B. Pedersen 193 (1995) 297

Ions and charge carriers

- Transport of diatomic ions in atomic gases, L.A. Viehland and A.S. Dickinson 193 (1995) 255

Phenomena*Molecular structure*

- Towards reliable modelling of large clusters: on the overall accuracy of the diatomics-in-molecule method for rare gas cluster ions, F.Yu. Naumkin, P.J. Knowles and J.N. Murrell 193 (1995) 27
- Adsorption of methanol in zeolite, gallosilicate and SAPO catalysts, J. Limtrakul 193 (1995) 79
- NMR evidence for strained carbon bonding in tetrahedral amorphous carbon, M.M. Golzan, P.B. Lukins, D.R. McKenzie, A.M. Vassallo and J.V. Hanna 193 (1995) 167
- Evidence for quasibound states in highly excited CO⁺ and NO⁺, A.B. van der Kamp, P.B. Athmer, R.S. Hiemstra, J.R. Peterson and W.J. van der Zande 193 (1995) 181
- Ab initio determination of the rate coefficient for radiative association of He(¹S) + H⁺, M. Juřek, V. Špirko and W.P. Kraemer 193 (1995) 287
- Solvent effect on the intramolecular charge transfer of zwitterions. Structures and quadratic hyperpolarizabilities, C. Runser, A. Fort, M. Barzoukas, C. Combellas, C. Suba, A. Thiébault, R. Graff and J.P. Kintzinger 193 (1995) 309

Vibrations and rotations of molecules

- Ab initio determination of the rate coefficient for radiative association of He(¹S) + H⁺, M. Juřek, V. Špirko and W.P. Kraemer 193 (1995) 287
- The ammonia dimer: new infrared-far infrared double resonance results, H. Linnartz, W.L. Meerts and M. Havenith 193 (1995) 327

Electronic structure and states

- Towards reliable modelling of large clusters: on the overall accuracy of the diatomics-in-molecule method for rare gas cluster ions, F.Yu. Naumkin, P.J. Knowles and J.N. Murrell 193 (1995) 27
- Direct calculation of non-adiabatic states using non-orthogonal CI. Application to the study of the (ArCO)⁺ cluster, P. Archirel 193 (1995) 55

Electric and magnetic properties

- Ab initio calculation of the nuclear quadrupole coupling constants of rovibrational levels in the X²Σ⁺ state of all isotopic variants of LiH⁺, J. Vojtík and J. Fišer 193 (1995) 47
- NMR evidence for strained carbon bonding in tetrahedral amorphous carbon, M.M. Golzan, P.B. Lukins, D.R. McKenzie, A.M. Vassallo and J.V. Hanna 193 (1995) 167
- Preparation and characterisation of the C₆₀ charge transfer complex C₆₀⁻[1,1',3,3'-tetramethyl-Δ^{2,2'}-bi(imidazolidine)]⁺, A. Schilder, B. Gotschy, A. Seidl and R. Gompper 193 (1995) 321

Molecular interactions

- Adsorption of methanol in zeolite, gallosilicate and SAPO catalysts, J. Limtrakul 193 (1995) 79
- Semiclassical study of polarization-dependent optical collisions: application to Mg(3p¹P₁ → 5s¹S₀) and Ar(¹S₀) collision, D.V. Kupriyanov 193 (1995) 141

Coupling of electronic and nuclear motion

- Semiclassical study of polarization-dependent optical collisions: application to Mg(3p¹P₁ → 5s¹S₀) and Ar(¹S₀) collision, D.V. Kupriyanov 193 (1995) 141

Energy transfer processes

- Semiclassical study of polarization-dependent optical collisions: application to Mg(3p¹P₁ → 5s¹S₀) and Ar(¹S₀) collision, D.V. Kupriyanov 193 (1995) 141
- The influence of the surface nature on scattering, fragmentation and deposition processes in C₆₀⁺ collisions with solid surfaces, Th. Lill, H.-G. Busmann, F. Lacher and I.V. Hertel 193 (1995) 199

Molecular photophysical processes

- Photodesorption of neutrals from metal surfaces: a wave packet study, P. Saalfrank 193 (1995) 119
- Power broadening of the spectral hole width in an optically thick sample, E.S. Maniloff, F.R. Graf, H. Gygax, S.B. Altner, S. Bernet, A. Renn and U.P. Wild 193 (1995) 173
- The theory of ultrafast vibrational spectroscopy, K. Wynne and R.M. Hochstrasser 193 (1995) 211

Luminescence spectra, yields and lifetimes

- Blue up-conversion emission from U⁴⁺-ion doped into Cs₂ZrCl₆ single crystal under green light (19436 cm⁻¹) excitation, W. Xu, S. Dai, L.M. Toth and J.R. Peterson 193 (1995) 339

Non-linear responses (including optical)

- Power broadening of the spectral hole width in an optically thick sample, E.S. Maniloff, F.R. Graf, H. Gygax, S.B. Altner, S. Bernet, A. Renn and U.P. Wild 193 (1995) 173
- Solvent effect on the intramolecular charge transfer of zwitterions. Structures and quadratic hyperpolarizabilities, C. Runser, A. Fort, M. Barzoukas, C. Combellas, C. Suba, A. Thiébault, R. Graff and J.P. Kintzinger 193 (1995) 309

Multiphoton phenomena

- Blue up-conversion emission from U^{4+} -ion doped into Cs_2ZrCl_6 single crystal under green light (19436 cm^{-1}) excitation, W. Xu, S. Dai, L.M. Toth and J.R. Peterson 193 (1995) 339

Reactions (including dissociation)

- False isokinetic relationships found in the nonisothermal decomposition of solids, S. Vyazovkin and W. Linert 193 (1995) 109
- Photodesorption of neutrals from metal surfaces: a wave packet study, P. Saalfrank 193 (1995) 119
- Improved finite difference calculation of magnetic field effects; inclusion of analytic asymptotics, K.L. Aminov and J.B. Pedersen 193 (1995) 297
- Preparation and characterisation of the C_{60} charge transfer complex $C_{60}^{-}[1,1',3,3'\text{-tetramethyl-}\Delta^{2,2'}\text{-bi(imidazolidine)}]^{+}$, A. Schilder, B. Gotschy, A. Seidl and R. Gompper 193 (1995) 321
- The diffusive interaction in diffusion-limited reactions: the time-dependent case, S.D. Traytak 193 (1995) 351

-gas phase

- Dynamics of CO formation in the reaction $O(^3P) + C_2H_3$, D.J. Donaldson, I.V. Okuda and J.J. Sloan 193 (1995) 37
- Evidence for quasibound states in highly excited CO^+ and NO^+ , A.B. van der Kamp, P.B. Athmer, R.S. Hiemstra, J.R. Peterson and W.J. van der Zande 193 (1995) 181
- The chemiluminescent studies of the orbital aligned $Ca(^1P_1)$ with $CH_{4-n}Cl_n$ ($n = 1, 2, 3, 4$) reactions, W.-s. Yang, G.-w. Ding, D.-l. Xu, W.-z. Sun, Y.-s. Gu, G.-z. He and N.-q. Lou 193 (1995) 345

-condensed phase

- False isokinetic relationships found in the nonisothermal decomposition of solids, S. Vyazovkin and W. Linert 193 (1995) 109
- The diffusive interaction in diffusion-limited reactions: the time-dependent case, S.D. Traytak 193 (1995) 351

Electron transfer

- Direct calculation of non-adiabatic states using non-orthogonal CI. Application to the study of the $(ArCO)^+$ cluster, P. Archirel 193 (1995) 55
- Absolute cross-section measurements for collisional destruction of He Rydberg atoms and single electron capture of He^+ ions in collision with SF_6 , H. Martínez and T.J. Morgan 193 (1995) 193
- Electron-transfer properties of quantum molecular wires, E.G. Petrov, I.S. Tolokh, A.A. Demidenko and V.V. Gorbach 193 (1995) 237
- Preparation and characterisation of the C_{60} charge transfer complex $C_{60}^{-}[1,1',3,3'\text{-tetramethyl-}\Delta^{2,2'}\text{-bi(imidazolidine)}]^{+}$, A. Schilder, B. Gotschy, A. Seidl and R. Gompper 193 (1995) 321

Ionization (including Rydberg states)

- Absolute cross-section measurements for collisional destruction of He Rydberg atoms and single electron capture of He^+ ions in collision with SF_6 , H. Martínez and T.J. Morgan 193 (1995) 193

Molecular motion (including diffusive)

- A comparison between the rigid and flexible model of cyclohexane in the plastic phase by molecular dynamic simulations, G. Cardini 193 (1995) 101

- Photodesorption of neutrals from metal surfaces: a wave packet study, P. Saalfrank 193 (1995) 119
- Improved finite difference calculation of magnetic field effects; inclusion of analytic asymptotics, K.L. Aminov and J.B. Pedersen 193 (1995) 297
- Surface effects and catalysis*
- Adsorption of methanol in zeolite, gallosilicate and SAPO catalysts, J. Limtrakul 193 (1995) 79
- Analysis of powder EPR and ENDOR spectra of the biphenyl radical cation on H-ZSM-5 zeolite, silica gel and in CFCl_3 matrix, R. Erickson, A. Lund and M. Lindgren 193 (1995) 89
- The influence of the surface nature on scattering, fragmentation and deposition processes in C_{60}^+ collisions with solid surfaces, Th. Lill, H.-G. Busmann, F. Lacher and I.V. Hertel 193 (1995) 199
- Thermodynamic and transport properties*
- Transport of diatomic ions in atomic gases, L.A. Viehland and A.S. Dickinson 193 (1995) 255
- Structure of solids and liquids*
- Preparation and characterisation of the C_{60} charge transfer complex $\text{C}_{60}^- [1,1',3,3'\text{-tetramethyl-}\Delta^{2,2'}\text{-bi(imidazolidine)}]^+$, A. Schilder, B. Gotschy, A. Seidl and R. Gompper 193 (1995) 321
- Phase transitions*
- High-spin-low-spin transitions in Fe(II) complexes by effective Hamiltonian method, A.L. Tchougréeff, A.V. Soudackov, I.A. Misurkin, H. Bolvin and O. Kahn 193 (1995) 19

